



MARBLE TILES  
**800x1600mm**  
80x160cm





# next generation marble tiles



*Surfaces That Become Furnishings  
For An Infinite Number of Solutions  
Marbo Crust releases new dimensions  
for modern architecture since it blends  
low thicknesses with large formats  
promising high practical performance, a  
lesser load on the floors and an  
aesthetic excellence never seen before!  
There's no sealing or concern about  
staining, scratching or etching.*



9mm thickness

*Resemblance of our tiles to natural stones is absolutely delightful.*

***"The marble type granular or vein like structure is not limited to surface, but goes to the depth of the total cross section of tile."***


*it can be ground or cut or chamfered and yet the granular beauty will unveil its glory to the fullest.*





**Artistic & technical perfection with top notch designs**

- |                                                                                                                                                                |                                                                                                                                                          |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>FLEXURAL RESISTANCE</b><br/>RESISTENCIA A LA FLEXION</p>             | <p><b>STAIN RESISTANCE</b><br/>RESISTENCIA A LAS MANCHAS</p>        |
| <p><b>FROST PROOF</b><br/>RESISTENCIA A LA HELADA</p>                      | <p><b>CHEMICAL RESISTANCE</b><br/>RESISTENCIA QUIMICA</p>           |
| <p><b>EAR RESISTANCE</b><br/>RESISTENCIA AL DESGASTE</p>                   | <p><b>ABSORPTION RESISTANCE</b><br/>RESISTENCIA A LA ABSORCION</p>  |
| <p><b>SCRATCH RESISTANCE</b><br/>RESISTENCIA AL RAYADO</p>                 | <p><b>EASY TO CLEAN</b><br/>FACIL LIMPIEZA</p>                      |
| <p><b>THERMIC IMPACT RESISTANCE</b><br/>RESISTENCIA AL CHOQUE TERMICO</p>  | <p><b>EASY TO INSTALL</b><br/>FACIL COLOCACION</p>                  |
| <p><b>SLIP RESISTANCE</b><br/>RESISTENCIA AL DESLIZAMIENTO</p>             | <p><b>ECOLOGICAL</b><br/>ECOLOGICO</p>                              |



# an impeccable marble feeling

Available Formats

900x  
1800  
mm  
90x180cm

800x  
1600  
mm  
80x160cm

1200x  
1200  
mm  
120x120cm

600x  
1200  
mm  
60x120cm

# an impeccable total look

The perspective of the large-scale format greatly increases its possible applications within all architectural settings for interior design and wherever a project features a bold total look, with no reservations



Floor & Wall Interiors



Large Architectural Spaces



Exterior Building Facades



# Fantastic Five Finishes



10

High  
Gloss

56

Polished  
Carving

68

Rustic

24

Glossy

60

Satin

*The designing processes make sure we create tiles that are much better than marbles in terms of strength, surface properties and liquid resistance. Being flame averse and easy to maintain, our tiles have been successfully engineered to beat every limitation of marbles.*



**800x1600mm**  
80x160cm

# Fantastic Format



*Taking into account the new demands of the world of architecture and interior design, Rollza launches new formats of slim slab marble tiles in large dimensions with the additions of 800x1600mm expanding its range of technical solutions & innovation for better lifestyle.*





800x1600mm



# high gloss



This collection has set standards when it comes to High gloss tiles. They are supremely elegant with touches of perfect finishing. Their gloss and presence keeps the interior cool and refreshing. Superior reflectivity definitely adds smartness to build perfect comfort zones.


[www.rollza.in](http://www.rollza.in)



Preview of MEDITARIAN BLACK



high  
gloss



MEDITARIAN BLACK

A

B

hd



3mm



HG






SPARKLE NATURAL



WHITE RIVERA



BLACK RIVERA



BLACK PANDA



BLACK CARRARA



TERIX BLACK



high  
gloss



Preview of BLACK PANDA

high  
gloss



Preview of FLORENCE BROWN






EMPERADOR CHOCO



FLORENCE BROWN



PIED ONIX



EMPERADOR GREY



FLORENCE NERO



PORTROW BLACK





ARMANI BROWN



BRECCIA AURORA



CELLOSIA BLUE



ARMANI VERDE



EMERALD



CELLOSIA GREY





Preview of BRECCIA AURORA




high  
gloss




Preview of ROSSO NATURAL





ROSSO BLACK




ROSSO CHOCO




THUNDER BLACK



ROSSO BROWN



ROSSO NATURAL



THUNDER BROWN





high  
gloss




Preview of BLACK COSMOS





BRATVI WHITE



BRATVI BLACK



BLACK COSMOS



 **MARBO**  
C R U S T

800x1600mm





**glossy**



In order to satisfy the aesthetic demands, Rollza has come up with the classic Glossy finish tiles. With glistening surface and charming elegance, these tiles have been forged with so much of glamour and desire. Admire the overflow of grandeur shimmering throughout the tile patterns. Experience the luxury within reach and beyond expectation.

[www.rollza.in](http://www.rollza.in)

glossy



STATUARIO AURORA

A

B



hd



3mm



G\*






Preview of STATUARIO AURORA



Preview of STATUARIO FUSION




**glossy**



STATUARIO VENETIAN

A

B



STATUARIO FUSION

A

B






FLESICO

A

B



ONYX MARMOLA

A

B

**glossy**







Preview of ONYX MARMOLA





STATUARIO CAFE




CRYSTAL STATUARIO



ANTIQUE SPIDER



ARBESCATO WHITE



SONATA WHITE



MARBITA WHITE



 glossy



Preview of ARBESCATO WHITE




SEGESTA WHITE



RIGATO WHITE



ALEX WHITE



SEGESTA BROWN



RIGATO BROWN



ALEX NATURAL





ALPINUS ICE




MAKARANI WHITE



LAVA GREY



ALPINUS BLANC



MAKARANI BEIGE



LAVA NATURAL



glossy



Preview of GEMAS AMBER





OXY GREY



ONTARIO BEIGE



GEMAS AMBER



ONYX JADE



ONTARIO GREY



GEMAS OXFORD



MARBO IVORY



MARBO BLANC



MARBO NATURAL



MARBO GRIS



MARBO TUSK



WAYS GREY





Preview of WAYS GREY



glossy



Preview of ALASKA SILVER





ALBASTRO TUSK



ALASKA SILVER



ZENITH BROWN



ALBASTRO NATURAL



ALASKA GOLD



ZENITH GREY



HEXA IVORY



OSTRA IVORY



BOSCO GREY



HEXA GREY



OSTRA GREY



BOSCO IVORY





OPTICAL BOTTICINO



ONYX BIANCO



DESERT BOTTICINO GRIS



LINETER



ONYX INFERNO



DESERT BOTTICINO CREMA



VALANCIA BEIGE



ROMA IVORY



JUPITER BROWN



VALANCIA GREY



ROMA GREY



JUPITER GREY





Preview of JUPITER GREY





ZED ONYX WHITE



DYNA PEARL



IMPERIAL DYNA



ZED ONYX BEIGE



DYNA WALLNUT



DAHINO DELIA





BRECCIA GREY



BRECCIA GOLD



BRECCIA CREMA



EMPRO GREY



EMPRO CREMA



EMPRO BROWN





SALANCA ICE



SALANCA GREY



SALANCA BEIGE



MARFIL CREMA



MARFIL GOLD



MARFIL BEIGE





Preview of SALANCA BEIGE






ASTRA BEIGE



ASTRA BLANC



ASTRA GREY



ARMANI BIANCO



ARMANI GREY



ARMANI NERO





DYNA DELIGHT



BOTTICINO CLASSIC



PULSE GOLD



DYNA ELITE



BOTTICINO ROYAL



PULSE CHOCO



glossy



Preview of GALAXY BLUE





GRYES



FLORENCE GREY



GALAXY BLUE



GRYES IVORY



FLORENCE GRIS



GALAXY BLACK





MARLIN IVORY



MARLIN BROWN



TARQUE BROWN



MARLIN BIANCO



MARLIN GRIS



TARQUE GRIS





STARK BEIGE



STARK CREMA



STARK COTTO



STARK GREY



STARK NERO



 **MARBO**  
CRUST

800x1600mm





# polished carving



Natural marble has some crack effects. The cracks give the tiles the look and feel of authentic marble. A unique glaze is used on top of the design. It is then made to react with a special ink that creates an engraving effect called Carving effect.



ROSALIAL



TRAFFIC TRAVERTINO

polishad  
carving



hd



3mm



C





Preview of TRAFFIC TRAVERTINO





800x1600mm





**satin** 1

[www.rollza.in](http://www.rollza.in)

Sobriety of surface quality and boldness of this collection is something as unique as your personality. Not so loud yet full of creative surprises are much welcomed for an extraordinary surrounding.



ASTRA BLANC



SLATE GREY



SLATE BIANCO



ASTRA GREY



SLATE BROWN




SLATE BLACK





Preview of SLATE BROWN



CEMENTO BEIGE



CEMENTO GREY



CEMENTO WHITE



GALACTIC BROWN



GALACTIC CREMA



GALACTIC GREY





ROAST GREY



ROAST CREMA



ROAST BEIGE



Preview of ROAST CREMA + BEIGE



satin

*the spoon* food & wine

Preview of TACO CHARCOAL





MELT ASH



MELT GREY



MELT COTTO




MOZECO GREY



TACO BRUNO



TACO CHARCOAL



 **MARBO**  
C R U S T

800x1600mm






**rustic**



With intriguing surface, this collection incorporates the much needed warmth to your indoors. Textural smoothness combined with fascinating colour schemes open a vast range of possibilities for your walls. Make your home a cocoon of comfort with Rollza beautifying the boundaries with the Rustic collection.

[www.rollza.in](http://www.rollza.in)



KINDER BEIGE



KINDER CREMA



CAMBA BEIGE



KINDER WHITE



KINDER BLACK



CAMBA GREY





Preview of KINDER WHITE + BLACK





GALAXY BLACK



GALAXY BLUE



GALAXY BROWN



GAYRO PINCH



GAYRO GREY



GAYRO BROWN





GLAM BLACK



TRAVA NATURAL



GRADINO BROWN



GLAM WHITE



VINTAGE GREY



HARD ROCK BLACK




rustic



Preview of PIETRA WHITE + GREY





NAPOLEAN BIANCO




NAPOLEAN GRAFITO



NAPOLEAN BROWN



PIETRA BROWN



PIETRA GREY



PIETRA WHITE



rustic



Preview of WALLNUT DARK



CRETA GREY



QUIRO WHITE



QUIRO GREY





CAM WOOD BROWN



WALLNUT DARK



LAMINA YELLOW



CAM WOOD TEAL



WALLNUT LIGHT

## TECHNICAL SPECIFICATIONS

| CHARACTERISTICS                          | STANDARD AS PER ISO-13006/EN14411 GROUP BIA | MEAN VALUE OF ROLLZA PGVT | MEAN VALUE OF ROLLZA GVT  | TEST METHOD  |
|------------------------------------------|---------------------------------------------|---------------------------|---------------------------|--------------|
| REGULATORY PROPERTIES                    |                                             |                           |                           |              |
| Deviation in length & width              | ±0.5 %                                      | ±0.1 %                    | ±0.1 %                    | ISO-10545-2  |
| Deviation in thickness                   | ±5.0 %                                      | ±4.0 %                    | ±4.0 %                    | ISO-10545-2  |
| Straightness in side                     | ±0.5 %                                      | ±0.1 %                    | ±0.1 %                    | ISO-10545-2  |
| Rectangularity                           | ±0.6 %                                      | ±0.1 %                    | ±0.1 %                    | ISO-10545-2  |
| Surface flatness                         | ±0.5 %                                      | ±0.2 %                    | ±0.2 %                    | ISO-10545-2  |
| Color difference                         | Unaltered                                   | No change                 | No change                 | ISO-10545-16 |
| Glossiness                               | As per mfg.                                 | Min. 90%                  | Min. 4%                   | GLOSSOMETER  |
| SURFACE MECHANICAL PROPERTIES            |                                             |                           |                           |              |
| Water absorption                         | < 0.50 %                                    | < 0.20 %                  | < 0.20 %                  | ISO-10545-3  |
| Apparent density                         | > 2.0 g/cc                                  | > 2.10 g/cc               | > 2.10 g/cc               | DIN 51082    |
| MASSIVE MECHANICAL PROPERTIES            |                                             |                           |                           |              |
| Modulus of rupture                       | Min. 35 N/mm <sup>2</sup>                   | Min. 40 N/mm <sup>2</sup> | Min. 40 N/mm <sup>2</sup> | ISO-10545-4  |
| Breaking strength                        | Min. 1300 N                                 | Min. 2000 N               | Min. 2000 N               | ISO-10545-4  |
| Impact resistance                        | As per mfg.                                 | Min. 0.55                 | Min. 0.55                 | ISO-10545-5  |
| SURFACE MECHANICAL PROPERTIES            |                                             |                           |                           |              |
| Surface abrasion resistance              | As per mfg                                  | Min. Class-3              | Min. Class-4              | ISO-10545-7  |
| MOH's hardness                           | As per mfg                                  | Min. 4                    | Min. 5                    | EN 101       |
| THERMO HYDROMETRIC PROPERTIES            |                                             |                           |                           |              |
| Frost resistance                         | No damage                                   | No damage                 | No damage                 | ISO-10545-12 |
| Thermal shock resistance                 | No damage                                   | No damage                 | No damage                 | ISO-10545-9  |
| Moisture expansion                       | Nil                                         | Nil                       | Nil                       | ISO-10545-10 |
| Thermal expansion (COE)                  | Max. 9.0x10 <sup>-6</sup>                   | Max. 6.5x10 <sup>-6</sup> | Max. 6.5x10 <sup>-6</sup> | ISO-10545-8  |
| Crazing resistance                       | As per mfg.                                 | Min. 10 Cycle             | Min. 10 Cycle             | ISO-10545-11 |
| CHEMICAL PROPERTIES                      |                                             |                           |                           |              |
| Chemical resistance                      | No damage                                   | No damage                 | No damage                 | ISO-10545-13 |
| Stain resistance                         | Resistant                                   | Resistant                 | Resistant                 | ISO-10545-14 |
| SAFETY PROPERTIES                        |                                             |                           |                           |              |
| Slip resistance                          | As per mfg.                                 | > 0.40                    | > 0.40                    | ISO-10545-17 |
| Fire resistance                          | As per mfg.                                 | Fireproof                 | Fireproof                 | N. A.        |
| Lead & Cadmium given off by glazed tiles | As per mfg.                                 | Doesn't yield Pb & Cd     | Doesn't yield Pb & Cd     | ISO-10545-15 |

## PACKING DETAILS

| Size       | Thickness (approx*) | Pieces / Box | Area / Box (approx*) |               | Weight / Box (approx*) |
|------------|---------------------|--------------|----------------------|---------------|------------------------|
| 800x1600mm | 9 mm                | 2 pcs.       | 2.56 sq. mtr.        | 27.55 sq. ft. | 55 kgs.                |







**Rollza Granito LLP**

Halvad Road, Opp Unchi Mandal ,  
Talaviya Sanala Road ,  
Morbi - 363 642, Gujarat, INDIA.

Domestic :

P: +91 99790 55557

E: info@rollza.in, sales@rollza.in

Export :

P: +91 99790 55552

E: export@rollza.in

**[www.rollza.in](http://www.rollza.in)**

